

EAGLE

C A T A L O G

Tel: +86 755 86178170

Mailto: Sales@eaglegrp.com.cn




MSN/Skype: eagletechgroup@gmail.com

Web: www.eaglegrp.com.cn

| No. | Model | Picture | Specification | Packing |
|-----|---------------------------|---|--|---------|
| 1 | EBD515C (Micro Dongle) |  | <ol style="list-style-type: none"> 1. Bluetooth Class2, Class 1 2. Dimensions: 22 X 18 X 7.5mm 3. Chipset: ISSC; CSR; Broadcom 2045/2046 4. Bluetooth V2.0 specification with EDR 5. Software: IVT2.7, IVT5.0, Widcomm4.0/5.1 6. Support Skype Auto connection 7. System Support: Windows 2000 / XP / Vista | Blister |
| 2 | EBD515B (Micro Dongle) |  | <ol style="list-style-type: none"> 1. Bluetooth Class2, Class 1 2. Dimensions: 22 X 18 X 7.5mm 3. Chipset: ISSC; CSR; Broadcom 2045/2046 4. Bluetooth V2.0 specification with EDR 5. Software: IVT2.7, IVT5.0, Widcomm4.0/5.1 6. Support Skype Auto connection 7. System Support: Windows 2000 / XP / Vista | Blister |
| 3 | EBD515 (Micro Dongle) |  | <ol style="list-style-type: none"> 1. Bluetooth Class2, Class 1 2. Dimensions: 22 X 18 X 7.5mm 3. Chipset: ISSC; CSR; Broadcom 2045/2046 4. Bluetooth V2.0 specification with EDR 5. Software: IVT2.7, IVT5.0, Widcomm4.0/5.1 6. Support Skype Auto connection 7. System Support: Windows 2000 / XP / Vista | Blister |
| 4 | EBD503 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 5 | EBD506 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |

| | | | | |
|----|---------|---|---|---------|
| 6 | EBD504 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 7 | EBD504B |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 8 | EBD504C |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 9 | EBD509 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 10 | EBD510 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |

| | | | | |
|----|--------|---|---|---------|
| 11 | EBD511 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 12 | EBD512 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 13 | EBD513 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 16 | EBD516 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 17 | EBD505 |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |

| | | | | |
|----|--------------------------|--|--|---------|
| 18 | EBD502C (Slim Dongle) |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2 2. Chipset: ISSC-V2.0 EDR; CSR 2.0 EDR; Broadcom 2045 3. Software: IVT2.7; IVT5.0; 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 19 | EBD502B (Slim Dongle) |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2 2. Chipset: ISSC-V2.0 EDR; CSR 2.0 EDR; Broadcom 2045 3. Software: IVT2.7; IVT5.0; 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |
| 20 | EBD502 (Slim Dongle) |  | <ol style="list-style-type: none"> 1. Bluetooth Class 2 2. Chipset: ISSC-V2.0 EDR; CSR 2.0 EDR; Broadcom 2045 3. Software: IVT2.7; IVT5.0; 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista | Blister |

Remarks:

1. Lead time: 10 working days.
2. Payment: T/T 30% deposit before production; balance 70% before shipment.
3. Warranty: 12 months.
4. OEM is welcome!

Contact us:

Mailto: matthew@eaglegrp.com.cn sales@eaglegrp.com.cn

MSN/Skype: eagletechgroup@gmail.com

Tel: +86 755 86178170 / +86 13528428834