

EAGLE

C A T A L O G

Tel: +86 755 86178170

Mailto: Sales@eaglegrp.com.cn




MSN/Skype: eagletechgroup@gmail.com

Web: www.eaglegrp.com.cn

No.	Model	Picture	Specification	Packing
1	EBD515C (Micro Dongle)		<ol style="list-style-type: none"> 1. Bluetooth Class2, Class 1 2. Dimensions: 22 X 18 X 7.5mm 3. Chipset: ISSC; CSR; Broadcom 2045/2046 4. Bluetooth V2.0 specification with EDR 5. Software: IVT2.7, IVT5.0, Widcomm4.0/5.1 6. Support Skype Auto connection 7. System Support: Windows 2000 / XP / Vista 	Blister
2	EBD515B (Micro Dongle)		<ol style="list-style-type: none"> 1. Bluetooth Class2, Class 1 2. Dimensions: 22 X 18 X 7.5mm 3. Chipset: ISSC; CSR; Broadcom 2045/2046 4. Bluetooth V2.0 specification with EDR 5. Software: IVT2.7, IVT5.0, Widcomm4.0/5.1 6. Support Skype Auto connection 7. System Support: Windows 2000 / XP / Vista 	Blister
3	EBD515 (Micro Dongle)		<ol style="list-style-type: none"> 1. Bluetooth Class2, Class 1 2. Dimensions: 22 X 18 X 7.5mm 3. Chipset: ISSC; CSR; Broadcom 2045/2046 4. Bluetooth V2.0 specification with EDR 5. Software: IVT2.7, IVT5.0, Widcomm4.0/5.1 6. Support Skype Auto connection 7. System Support: Windows 2000 / XP / Vista 	Blister
4	EBD503		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
5	EBD506		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister

6	EBD504		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
7	EBD504B		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
8	EBD504C		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
9	EBD509		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
10	EBD510		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister

11	EBD511		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
12	EBD512		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
13	EBD513		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
16	EBD516		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
17	EBD505		<ol style="list-style-type: none"> 1. Bluetooth Class 2; Class 1 2. Chipset: ISSC; CSR 2.0 EDR; Broadcom 2045/2046 3. Software: IVT2.7; IVT5.0; Widcomm 4.0/5.1 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister

18	EBD502C (Slim Dongle)		<ol style="list-style-type: none"> 1. Bluetooth Class 2 2. Chipset: ISSC-V2.0 EDR; CSR 2.0 EDR; Broadcom 2045 3. Software: IVT2.7; IVT5.0; 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
19	EBD502B (Slim Dongle)		<ol style="list-style-type: none"> 1. Bluetooth Class 2 2. Chipset: ISSC-V2.0 EDR; CSR 2.0 EDR; Broadcom 2045 3. Software: IVT2.7; IVT5.0; 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister
20	EBD502 (Slim Dongle)		<ol style="list-style-type: none"> 1. Bluetooth Class 2 2. Chipset: ISSC-V2.0 EDR; CSR 2.0 EDR; Broadcom 2045 3. Software: IVT2.7; IVT5.0; 4. Support A2DP 5. System Support: Windows 2000 / XP / Vista 	Blister

Remarks:

1. Lead time: 10 working days.
2. Payment: T/T 30% deposit before production; balance 70% before shipment.
3. Warranty: 12 months.
4. OEM is welcome!

Contact us:

Mailto: matthew@eaglegrp.com.cn sales@eaglegrp.com.cn

MSN/Skype: eagletechgroup@gmail.com

Tel: +86 755 86178170 / +86 13528428834